

Telephone No. : 23 P.O. STONY STRATFORD.
Telegraphic Address : ROBERTS, DEANSHANGER.

— REVISED LIST —

OF

Land Rollers **Cambridge Rollers** **Clod Crushers**

PRICES CANCELLED.

BY . . .


E. & H. ROBERTS, Ltd.,

DEANSHANGER IRON WORKS, **STONY STRATFORD.**

SOLD BY

IMPROVED FIELD ROLLERS

WITH CAST-IRON CYLINDERS.



These Rollers are fitted with STEEL FRAMES, STEEL TUBULAR SHAFTS, made to slide along Frame to any desired position, STEEL BALANCE ENDS, SELF-FEEDING GREASE BOXES, and RENEWABLE BUSHES, which renders them exceedingly strong and durable.

IMPROVED FIELD ROLLERS.

If with Whippetree
for Two Horses,
12/6 extra.

Double Shafts, £1
extra.

Driver's Seat, 10/-
extra.

Wood Frame Rollers
at same prices.

Fitted with 3 Heavy Cast-Iron Cylinders.

	6 ft. wide £ s. d.	6½ ft. wide £ s. d.	7 ft. wide £ s. d.	7½ ft. wide £ s. d.	8 ft. wide £ s. d.
13 in. diam.	7 5 0	7 10 0	8 0 0	8 10 0	9 0 0
14 „ „	8 0 0	8 10 0	9 0 0	9 10 0	10 0 0
16 „ „	8 10 0	9 0 0	9 10 0	10 0 0	10 10 0
18 „ „	9 5 0	10 0 0	10 10 0	11 0 0	11 10 0
20 „ „	10 10 0	11 0 0	11 10 0	12 0 0	12 10 0
24 „ „	12 10 0	13 10 0	14 0 0	15 10 0	16 10 0

Rollers of any
width, diameter
or special
construction
to order.

SEGMENT LAND ROLLERS.

The Segment Rings of these Rolls are 6 inches wide.

With
Wood
Frames
and
Shafts
at same
prices.

	6 ft. wide £ s. d.	6½ ft. wide £ s. d.	7 ft. wide £ s. d.	7½ ft. wide £ s. d.	8 ft. wide £ s. d.
14 in. diam.	9 10 0	10 0 0	10 10 0	11 0 0	11 10 0
16 „ „	10 0 0	10 10 0	11 0 0	11 10 0	12 10 0
18 „ „	10 10 0	11 0 0	11 10 0	12 5 0	12 15 0
20 „ „	11 5 0	11 15 0	12 10 0	13 5 0	13 15 0
24 „ „	12 10 0	13 5 0	14 0 0	14 15 0	15 15 0
26 „ „	13 10 0	14 10 0	15 15 0	16 0 0	16 10 0


With
Wood
Frames
and
Shafts
at same
prices.

If with Whippetree for Two Horses, 12/6 extra.

Double Shafts, £1 extra.

Driver's Seat, 10/- extra.

IMPROVED CAMBRIDGE ROLLERS



Our Cambridge Rollers are of the same construction as described on the previous page, having **STEEL FRAMES, STEEL TUBULAR SHAFTS**, made to slide along Frame to any desired position, **STEEL BALANCE ENDS, SELF-FEEDING GREASE BOXES, and RENEWABLE BUSHES.** making them **UNSURPASSED** for **EXCELLENCE** of **CONSTRUCTION** and **DURABILITY.**

IMPROVED CAMBRIDGE ROLLERS.

THESE CLOD CRUSHERS are most effective Implements for breaking Clods on very stiff clay and other soils, and for pressing very light land so as to obtain a firm seed bed.

PRICES. (With Rings 3 inches wide)

	6 feet wide	6½ feet wide	7 feet wide	7½ feet wide	8 feet wide
14 inches diameter	£8 15 0	£9 5 0	£9 15 0	£10 5 0	£10 15 0
16 " "	9 15 0	10 5 0	10 15 0	11 5 0	11 15 0
18 " "	10 5 0	10 15 0	11 5 0	11 15 0	12 5 0
20 " "	11 0 0	11 10 0	12 0 0	12 10 0	13 0 0
22 " "	11 10 0	12 10 0	13 0 0	13 10 0	14 0 0
24 " "	12 10 0	13 10 0	14 5 0	14 15 0	15 15 0
26 " "	15 15 0	16 10 0	15 5 0	18 0 0	18 15 0

PRICES. (With Rings 2 inches wide)

	6 feet wide	6½ feet wide	7 feet wide	7½ feet wide	8 feet wide
18 inches diameter	£11 0 0	£11 10 0	£12 0 0	£12 10 0	£13 0 0
20 " "	12 0 0	12 10 0	13 0 0	13 10 0	14 0 0
22 " "	12 10 0	13 10 0	14 0 0	14 10 0	15 0 0
24 " "	13 10 0	14 10 0	15 5 0	15 15 0	16 15 0
26 " "	16 10 0	17 5 0	18 10 0	19 5 0	20 0 0




Wood Frames and Shafts at same price

If with Whippetree for two horses, 12/6 extra.

Double Shafts, £1 extra.

Driver's Seat, 10/- extra.

Improved Self-Cleaning Clod Crushers.



These Rollers are **PRACTICALLY INDESTRUCTIBLE**. No Wood being used in their construction, there is nothing to rot or decay. They are entirely self-cleaning, and are fitted exactly as specified on the previous pages.

Improved Self-Cleaning Clod Crushers.

THESE Clod Crushers are fitted with notched rings, which thoroughly prevent clogging. They act in the following manner:—The notched rings are larger in diameter than the plain rings, so that the former are higher than the latter, but the hole through which the spindle passes being also larger in the notched rings than in the plain ones, all the rings are level at the bottom, and press equally on the land. By this simple arrangement as the roller revolves, the part of the notched rings which touches the land gradually rises about two inches above the plain ones, thus forcing out of the rings all clods which might adhere to them.—This important improvement not only effectually prevents the clogging, but much increases the general usefulness of the Implement.

PRICES.


	6½ feet wide.	7 feet wide.	7½ feet wide.
	£ s. d.	£ s. d.	£ s. d.
16 inches diameter	12 10 0	13 5 0	13 15 0
20 „ „	14 0 0	14 10 0	15 5 0
24 „ „	16 5 0	17 5 0	17 15 0
26 „ „	18 10 0	20 10 0	21 10 0

Open Frames and Shafts at same prices.

Whippletree for Two Horses, 12/6 extra. Double Shafts, £1 extra. Driver's Seat, 10/- extra.

IMPROVED SPECIAL ROLLER.

With
Rounded
Ends
to Cylinders
which
prevents the
turf
being cut or
damaged
when turning.



With
Rounded
Ends
to Cylinders
which
prevents the
turf
being cut or
damaged
when turning.

The above illustrates our Special Roller for CRICKET GROUNDS, GOLF LINKS, CARRIAGE DRIVES, LAWNS, PARKS, &c. It is very strong and serviceable, and is constructed on similar lines to our general patterns. See previous pages.

PRICES. (With Three Heavy Cast Cylinders.

24 inches diameter, 6 feet wide, £12 0s. 0d.

24 inches diameter, 6½ feet wide, £15 0s. 0d.

Weights for increasing weight of Roller, 8/6 each extra. Driver's Seat, 10/- extra.

PRICES CANCELLED.